
LIVING
DECORATIVE LARGE FORMAT TILES
ORIGINALSTYLE
Tiles to Inspire



Front cover: Malmö Taupe CS2307-6030, see page 15
This page: Artistry Georgia Green CS2313-6030, see page 29

LIVING

Dreaming of a space that's distinctively different? It's time to bring your vision to life.
The Living collection offers a highly decorative but liveable range of patterns designed for modern life.
Created and designed by us, these patterned tiles also come with coordinating plain colour options.
Use in kitchens, bathrooms, showers, cloakrooms, hallways, dining areas or wherever you please.
Living. It starts here...

Arbour 4-9

Malmö 10-15

Trellis 16-21

Artistry 22-29

Radiance 30-37

Afterglow 38-43

Palazzo 44-53

Eden 54-59

Maison 60-65

Opera 66-75

Call of the wild 76-83

Nano 84-91

Coordinating Plain Tiles 92-94 | Important information 95-101

Arbour

Escape to the country





Arbour Lattice CS2300-6030 with Mediterraneo Off White Matt from the Tileworks Collection (floor)



Arbour Wisteria CS2302-6030 with Maison Blanc plain tiles CS2032-6030, see page 92 and Oakwood Brown from the Tileworks Collection (floor)

Arbour

598 x 298 x 10mm (11¾" x 23⁹⁄₁₆" x ⅜")



Blossom CS2301-6030*



Lattice CS2300-6030



Wisteria CS2302-6030*

Adorn your walls with top-to-toe botanical tumbling foliage, inspired by trailing florals like wisteria; these graceful patterns will awaken any interior space.

Original hand-painted designs, recreated using the latest inkjet technology.
Printed on a Maison Blanc textured base tile.
See the coordinating plain option on page 92.

*Please see the pattern repeat/design variation information on pages 95-97




Arbour Blossom CS2301-6030 with Pierre Belle Blanc Matt from the Tileworks Collection (floor)

Malmö

It's all in the detail





Malmö Taupe CS2307-6030



Malmö Tan CS2308-6030 with Rush White plain tiles CS2173-6030, see page 93



Malmö Fawn CS2306-6030 *with Portland Stone Ash Matt from the Tileworks Collection (floor)*

Malmö

600 x 300 x 10mm (11 13/16" x 23 5/8" x 3/8")



Fawn CS2306-6030*



Taupe CS2307-6030



Tan CS2308-6030

Add a touch of cosiness with the warm tones of Malmo. These soothing hues elevate a neutral palette with a hint of scandinavian style, perfect for creating a cool yet cosy feel.

Original hand-painted designs, recreated using the latest inkjet technology.
Printed on a Rush White satin finished base tile, with a variegated metallic sheen.
See the coordinating plain option on page 93.

*Please see pattern repeat and shading information on pages 95 - 97

Trellis

Cool and Contemporary prints to harmonise any space





Trellis Jewel CS2303-6030 with Portland Stone Ash Matt from the Tileworks Collection (floor)



Trellis Plait CS2304-6030 with View Off White CS2136-6030, see page 93 and Lignum Beige Slip Resistant from the Tileworks Collection (floor)



Above: Trellis Lace CS2305-6030

Trellis

600 x 300 x 9mm (11 13/16" x 23 5/8" x 3/8")



Jewel CS2303-6030



Plait CS2304-6030*




Lace CS2305-6030

Choose from these bold prints in subtle tones.
Their contemporary motifs will give your space the
style update it deserves

Printed on View Off White matt base tiles.
See the coordinating plain wall tile option on page 93
and the matching floor tile on page 94.
*Please see pattern repeat information on page 96.

Artistry

Heritage with a light touch





Artistry Georgia Blue CS2314-6030 with Viano White Polished Marble from the Earthworks Collection (shelf) and Oakwood Brown from the Tileworks Collection (floor)



Artistry Georgia Green CS2313-6030



Above: Artistry Frida Green CS2310-6030



Above: Artistry Georgia Blue CS2314-6030 with Viano White Polished Marble from the Earthworks Collection



Artistry Frida Grey CS2309-6030 with Boreal Mix from the Tileworks Collection (floor)

Artistry

Patterns can be incorporated into all manner of interior schemes and these modern tiles exude classic charm and character, bringing rooms to life



Frida Green CS2310-6030



Georgia Green CS2313-6030

Original hand-painted designs, recreated using the latest inkjet technology.
Printed on an Ice White gloss base tile.
See the coordinating plain option on page 92.

600 x 300 x 10mm (11 13/16" x 23 5/8" x 3/8")



Frida Grey CS2309-6030*



Frida Green CS2310-6030*



Frida Blue CS2311-6030*



Georgia Grey CS2312-6030



Georgia Green CS2313-6030



Georgia Blue CS2314-6030

*Please see pattern repeat information on page 96.

Radiance

Understated opulence in shimmering lustre





Radiance Symmetry CS2357-6030



Radiance Splendour CS2355-6030



Glamour CS2354-6030 with Baroque Blue field tiles from the Artworks Collection



Radiance Geo CS2358-6030



Radiance Fan CS2356-6030 with Ice White plain tiles CS777-6030, see page 92 and Shadow Dust from the Tileworks Collection (floor and left hand wall)

Radiance

Give your walls a suave update with these chic geometric patterns, perfect for adding some 1920's vivacity. The iridescent oily lustre catches the light creating a beautiful shimmering patina

Printed on an Ice White gloss base tile.
See the coordinating plain option on page 92.



Radiance Cube CS2353-6030 *with Arctic glass tiles from the Glassworks Collection*



Glamour CS2354-6030 *with Baroque Blue field tiles from the Artworks Collection*

600 x 300 x 10mm (11 13/16" x 23 5/8" x 3/8")



Cube CS2353-6030 L



Glamour CS2354-6030* L



Splendour CS2355-6030* L



Fan CS2356-6030* L



Geo CS2358-6030 L




Symmetry CS2357-6030* L

L Lustre finish tiles.
See page 98 for care instructions

*Please see pattern repeat information on page 96.

Afterglow

Playful prints in lustrous pastel shades





Afterglow Vesper CS2352-6030



Afterglow Ray CS2351-6030



Afterglow Dusk CS2350-6030 with Chancel Grey brick tiles from the Artworks Collection and Toronto Grey from the Tileworks Collection (floor)

Afterglow

Add wonder to your walls with colourful pastel shades and lustre highlights. These patterns and shades will light up your space with a wonderfully warm glow and refined ambience

Printed on an Ice White gloss base tile.
See the coordinating plain option on page 92.

600 x 300 x 10mm (11 13/16" x 23 5/8" x 3/8")



Dusk CS2350-6030 L



Ray CS2351-6030* L



Vesper CS2352-6030 L


L Lustre finish tiles.
See page 98 for care instructions

*Please see pattern repeat information on page 97.

Palazzo

Inspired by the grand palatial buildings
of Italy, tiled in glistening white marble





Palazzo Pettina CS2132-6030



Palazzo Filigrana CS2130-6030



Palazzo Piazze CS2135-6030



Palazzo Prisma CS2133-6030 and Ice White plain tile CS777-6030, see page 92



Palazzo Arabo CS2131-6030 with Noir St. Laurent from the Tileworks Collection and Black Classic Hexagons from the Victorian Floor Tiles Collection (floor)



Above: Palazzo Cubo CS2134-6030



Palazzo

A mix of timeless and glamorous designs.
All six patterns look as if they have been inlaid on classical Carrara marble, bringing a touch of luxury to your bathroom or shower.

Printed on an Ice White gloss base tile.
See the coordinating plain option on page 92.



Palazzo Piazze CS2135-6030



Palazzo Arabo CS2131-6030

600 x 300 x 10mm (11 13/16" x 23 5/8" x 3/8")



Arabo CS2131-6030



Cubo CS2134-6030



Filigrana CS2130-6030*



Pettina CS2132-6030*



Piazze CS2135-6030



Prisma CS2133-6030

*Please see pattern repeat information on page 96.

Eden

The natural choice for a sense of calm



Eden Pergola CS2113-6030 and View Off White plain tiles CS2136-6030, see page 93



Eden Glade CS2115-6030 with View Off White CS2136-6030 see page 89, and Lignum White Slip Resistant from the Tileworks Collection



Eden Hothouse CS2114-6030

Eden

Lush and leafy designs bring a tropical paradise to your bathroom: Glade is a delicate bouquet of ferns, Pergola has trailing fronds, and Hothouse is a riot of palm leaves.

Printed on View Off White matt base tiles.
See the coordinating plain wall tile option on page 93
and the matching floor tile on page 94.

600 x 300 x 9mm (11 13/16" x 23 5/8" x 3/8")



Pergola CS2113-6030*



Hothouse CS2114-6030




Glade CS2115-6030

*Please see pattern repeat information on page 96.

Maison

Three designs, all with a French accent





Maison Petite CS2117-6030 with Arcadian Danube bricks from the Winchester Tile Company



Maison Grande CS2118-6030 *with Levantine Ivory from the Earthworks Collection (floor)*

Maison

598 x 298 x 10mm (11¾” x 23⁹⁄₁₆” x ⅜”)



Petite CS2117-6030



Moyenne CS2116-6030



Grande CS2118-6030

‘Maison’, French for ‘house’ – think effortless elegance, understated patterns and subtle flourishes in soft textures and a muted French blue

Printed on a Maison Blanc textured base tile.
See the coordinating plain option on page 92.



Maison Moyenne CS2116-6030

Opera

A modern twist on the classics...





Opera Idante Crema CS2107-6030



Above: Opera Bellina Grigio CS2111-6030



Opera Musetta Grigio CS2112-6030 *with Nero polished marble from the Earthworks Collection (floor)*




Opera Idante Grigio CS2110-6030



Above: Opera Bellina Crema CS2108-6030 and View Off White plain tiles CS2136-6030, see page 93



Opera Musetta Crema CS2109-6030 with Alaska White from the Tileworks Collection (floor)



Opera

Inspired by distressed grandeur, timeless fabrics and decorative patterns – Opera can be styled in both modern and traditional ways creating a simple, elegant statement for any room.

Printed on View Off White and View Grey matt base tiles.
See the coordinating plain wall tile options on page 93.
View Off White is also availble for floors – see page 94.



Opera Idante Grigio CS2110-6030



Opera Idante Crema CS2107-6030

600 x 300 x 9mm (11 13/16" x 23 5/8" x 3/8")



Idante Crema CS2107-6030



Bellina Crema CS2108-6030



Musetta Crema CS2109-6030



Idante Grigio CS2110-6030




Bellina Grigio CS2111-6030



Musetta Grigio CS2112-6030

Call of the wild

Luxurious glamour with a fun yet sophisticated feel





Call of the Wild Moremi CS2125-6030 and View Off White plain tiles CS2136-6030, see page 93, with Alaska White and Marmi Classico Nero Venato from the Tileworks Collection (floor)




Call of the wild Etosha CS2124-6030 *placed in a random pattern*



Above: Call of the wild Serengeti CS2122-6030



Call of the wild Etosha CS2124-6030 in a regular landscape pattern and View Off White plain tile CS2136-6030, see page 93, with Noir St Laurent from the Tileworks Collection (floor)



Above: Call of the wild Chobe CS2123-6030

Call of the wild

Take a walk on the wild side with these safari-style tiles in neutral tones, easy to work into an existing colour scheme for a touch of opulence.

Printed on View Off White matt base tiles.
See the coordinating plain wall tile option on page 93
and the matching floor tile on page 94.

600 x 300 x 9mm (11 13/16" x 23 5/8" x 3/8")



Chobe CS2123-6030



Serengeti CS2122-6030



Etosha CS2124-6030



Moremi CS2125-6030

Nano

Small delicate prints with an urban edge





Nano Atom CS2126-6030V with coordinating View Off White CS2400-6060 (floor) *see page 94*



Nano Proton CS2129-6030V



Nano Atom CS2126-6030V



Patchwork of Nano designs



Above: Nano Hadron CS2127-6030V

Nano


The intricate details of Nano bring a textured feel to a room, with the grey tones adding a warm, natural feeling and a contemporary edge.

Printed on View Off White matt base tiles.
See the coordinating plain wall tile option on page 93
and the matching floor tile on page 94.

600 x 300 x 9mm (11 13/16" x 23 5/8" x 3/8")




Atom CS2126-6030V



Hadron CS2127-6030V



Neutron CS2128-6030V



Proton CS2129-6030V

Coordinating plain wall tiles

All the designs are printed onto base tiles as shown here. These can be used for coordinating with the patterns too.

View Off White is also available for floors - see page 94



Radiance Fan CS2356-6030 *with Ice White* CS777-6030

Ice White

Brilliant white tiles with a smooth gloss finish

CS777-6030
600 x 300 x 10mm
(11 13/16" x 23 5/8" x 3/8")




Coordinates with:

Artistry p28-29



Radiance p36-37



Afterglow p43



Palazzo p52-53



Maison Blanc

Matt tiles with the textures and details of woven fabric

CS2032-6030
598 x 298 x 10mm
(11 3/4" x 23 9/16" x 3/8")



Coordinates with:

Arbour p8



Maison p64



Rush White

Satin finished tiles with a variegated metallic sheen[1]

CS2173-6030
600 x 300 x 10mm
(11 13/16" x 23 5/8" x 3/8")



Coordinates with:

Malmö p15



[1]the variegated tones of Rush White plain tiles and of Malmö printed tiles should be blended prior to fixing to achieve a pleasing distribution of shades

View Off White

Matt finished tiles with smooth concrete effect appearance.
See page 94 for floor tile option.

CS2136-6030
600 x 300 x 9mm
(11 13/16" x 23 5/8" x 3/8")



Coordinates with:

Trellis p21



Eden p59




Opera Crema p74



Call of the wild p83



Nano p91



View Grey

Matt finished tiles with smooth concrete effect appearance

CS2144-6030
600 x 300 x 10mm
(11 13/16" x 23 5/8" x 3/8")



Coordinates with:

Opera Grigio p75



Coordinating floor tile

View Off White

Coordinates with all View Off White based designs as shown on page 93




CS2400-6060
600 x 600 x 9mm (23⅝" x 23⅝" x ⅜")

with Nano Atom CS2126-6030

Design variation

To provide a beautiful variation in pattern, some tiles feature multiple 'faces' – where the print varies over a number of tiles. We recommend that the products shown here are loosely laid out and 'blended' prior to fixing to ensure a pleasing distribution of pattern details.



Arbour Blossom page 8





Malmö Fawn page 15






Arbour Wisteria page 8




Pattern repeats


Many of the tiles in this range are designed with a particular pattern direction and repeat in mind.
Please be aware of the flow of the pattern at grout joints and ensure that you're happy with the repeat before fixing your tiles permanently. Here are some examples of how patterns are intended to line up:




Palazzo Filligrana page 52




Palazzo Pettina page 53




Eden Pergola page 59




Artistry Frida (*all colours*) page 28




Opera Musetta Crema page 74
- and also -
Opera Musetta Grigio page 75




Trellis Plait page 21




Radiance Fan page 37




Radiance Glamour page 36




Radiance Splendour page 36



Malmö Taupe page 15



Radiance Symmetry page 37



Afterglow Ray page 43

Important information

How many tiles will you need?	
Nominal size*	Tiles
598 x 298mm / 11 ¾" x 23 ⁹⁄₁₆"	5.6 per m² / 0.52 per Sq.ft
600 x 300mm / 11 ¹³⁄₁₆" x 23 ⅝"	5.6 per m² / 0.52 per Sq.ft
*The above dimensions are subject to a tolerance of ± 2mm. Quantities shown exclude grout gaps between each tile. Please allow an additional 5% for cutting/wastage. Recommended grout gap is 2-3mm	

Usage
Living tiles are all suitable for internal wet and dry walls.

Key to symbols	
WALL	Wet & dry walls (inc.showers and wet rooms)
	Internal use only

Nominal dimensions
We quote nominal dimensions throughout this brochure which are subject to slight variation within internationally accepted standards.

Shade / pattern variation
Shade variation is an inherent feature of Living ceramic tiles.
We recommend that tiles are loosely laid out and 'blended' prior to fixing to achieve the most pleasing distribution of shades. Differences between batches can be more marked, for this reason we recommend that you buy all the tiles at one time. No liability for shading issues can be accepted after installation.

Adhesives, grouts and sealing
Always use high quality adhesives and grouts following manufacturers' recommendations for their use and suitability for the type of tile, the application and the substrate being tiled.

⚠ Grouting of Lustre Tiles
For Radiance and Afterglow tiles, a superfine or un-sanded grout is recommended to avoid scratching the surface. Apply the grout into the joints neatly avoiding the body of the tile. We strongly advise not to slurry grout these tiles.

⚠ Care of Lustre Tiles
The Radiance and Afterglow ranges in the Living Collection are produced using a precious, delicate printing material that creates the magical 'lustre' effect. These tiles are sensitive to all cleaning products and need to be treated with care to maintain their beautiful finish. Therefore, we would recommend the tiles are cleaned using water and a soft cloth only and please rinse after use if they are installed in a wet area.

Please refer to our Fixing Guide at www.originalstyle.com/guides before commencing any installations as Original Style cannot accept responsibility for any faults after tiles have been fixed. Original Style will not be held liable for any claims regarding the inappropriate use of sealing, adhesives or grouting materials. For technical queries, please contact our technical department at info@originalstyle.com

Large Formats
We do not recommend the use of large format ceramic or porcelain tiles in a 50:50 brick bond pattern installation. The reason for this is that slight curvature in the tile may become noticeable and may not be deemed to be visually acceptable.

Photography
Owing to variations in studio lighting and printing inks, the tile colours shown in the Original Style brochure and website may differ slightly from those of the actual tiles.

Before making your choice it is always advisable to ask your Original Style dealership to show you samples.

Limits of Liability
Original Style Ltd. accepts no liability for the faulty installation of its tiles. In the case of any claim relating to the tiles themselves, Original Style's liability, to the extent permitted by law, is limited to either the replacement of the product or a refund of the cost of the product, and does not extend to cover any consequential loss. Claims must be reported within seven working days from receipt of the tiles. Tiles must be inspected prior to installation and claims cannot be considered after the tiles have been installed. Please be advised that installation constitutes acceptance of the quality, colour, texture, shade and size of tiles.

Original Style Ltd. warrants that its tiles conform to their description and are fit for their purpose. Original Style Ltd. makes no other express or implied warranty as to fitness or suitability of the products for particular installations. We extend no guarantees, express or implied, as to wear resistance or maintenance procedures.

Please note, the use of certain acid based cleaning products may cause some of the tiles to react and change in character. In addition, abrasive cleaners must be avoided as they will scratch the surface of the tiles.

Please note: In the USA please follow the recommendations of reputable product manufacturers in conjunction with the Fixing Guide at www.originalstyle.com/guides.

Informations essentielles

De combien de carreaux aurez-vous besoin?	
Taille nominale du carreau*	par mètre carré
300 x 600mm 598 x 298mm	5.6
*Remarque : Toutes les dimensions précédentes sont sujettes à une tolérance de ± 2 mm. Les quantités démontrées n'incluent pas les joints entre les carreaux. Nous vous recommandons de prévoir au moins 5% supplémentaires pour les chutes. Nous recommandons un écart pour les joints de 2-3mm	

Usage
Les carreaux Living conviennent aux murs secs et humides internes.

Signification des symbols	
WALL	Murs secs et humides (dont douches et douches italiennes)
	Usage intérieur uniquement

Dimensions nominales
Dans cette brochure, les dimensions indiquées sont nominales et sujettes à de légères variations dans les limites des normes internationales admises.

Variations de teinte et de texture
Les nuances de teinte sont une caractéristique inhérente aux carreaux en céramique Living.
Avant de fixer les carreaux, nous vous conseillons de les disposer librement pour les assortir et obtenir la meilleure distribution possible de teintes. Les différences peuvent être marquées d'un lot à l'autre. Pour cette raison, nous vous recommandons vivement d'acheter tous les carreaux en une seule fois. Une fois la pose réalisée, tout problème lié aux nuances de teinte ne saurait engager notre responsabilité.

Colles, mortiers pour joint, mastics d'étanchéité
Utilisez systématiquement une colle et un mortier pour joint de haute qualité, en respectant les recommandations des fabricants concernant leur utilisation, leur convenance pour le type de carrelage, leur mode d'application et la surface à carreler.

⚠ Jointoyer les carreaux Lustre
Pour les carreaux Radiance et Afterglow, un coulis superfin ou sans sable est recommandé pour éviter de rayer la surface. Appliquer soigneusement le coulis dans les joints en évitant le corps du carreau. Nous déconseillons vivement de joindre au coulis ces carreaux.

⚠ Soins des carreaux Lustre
Les gammes Radiance et Afterglow de la collection Living ont été produites grâce à un matériel d'impression de valeur et délicat qui crée un effet « brillant » magique. Ces carreaux sont sensibles à tous les produits de nettoyage et doivent être traités avec soin afin de maintenir leur belle finition. Par conséquent, nous recommandons de nettoyer les carreaux à l'eau et avec un chiffon doux seulement. N'oubliez pas de rincer après utilisation s'ils sont posés dans une zone humide.

Consultez notre Guide de fixation sur https://www.originalstyle.com/fr/guides-de-fixation/ avant de commencer. La responsabilité d'Original Style ne saurait être engagée en raison de défauts une fois les carreaux posés. Original Style déclinera toute responsabilité en cas de réclamation concernant un usage inadapté d'un mastic d'étanchéité, d'une colle ou d'un mortier pour joint. Pour tout renseignement de nature technique, contactez notre service technique sur info@originalstyle.com.

Taux d'usure PEI pour carreaux de sol.
Taux d'usure pour les porcelaines vitrifiées et les céramiques conforme à la norme ISO 10545-7.

Grands formats
Nous déconseillons l'utilisation de carreaux grand format en céramique ou en porcelaine dans les installations aux motifs « mur de brique 50:50 ». En effet, ce type d'installation risque d'accentuer la légère courbure de ces carreaux, ce qui pourrait altérer défavorablement l'effet visuel recherché.

Photographie
En raison des variations au niveau de l'éclairage et des encres d'impression, les couleurs des carreaux présentés dans la brochure et sur le site d'Original Style peuvent différer légèrement de celle des carreaux réels.

Avant de passer commande, il est toujours préférable de demander au revendeur Original Style de vous montrer des échantillons.

Responsabilité
Original Style Ltd. décline toute responsabilité en cas d'installation incorrecte de ses carreaux. En cas de réclamation relative aux carreaux eux-mêmes, la responsabilité d'Original Style sera confinée, dans la limite autorisée par la loi, au remplacement du produit ou au remboursement du prix du produit, et ne couvrira pas les dommages indirects. Toute réclamation doit être effectuée dans les sept jours suivant la réception des carreaux. Les carreaux doivent être inspectés avant leur pose. Aucune réclamation ne sera prise en compte une fois les carreaux posés. Notez que l'installation des carreaux constitue l'acceptation de leur qualité, couleur, texture, teinte et taille.

Original Style Ltd. garantit que ses carreaux sont conformes à leur description et conviennent à l'usage indiqué. Original Style Ltd. ne formule aucune autre garantie expresse ou implicite vis-à-vis de l'adéquation ou de la compatibilité de ses produits dans des installations spécifiques. Nous ne formulons aucune garantie, expresse ou implicite, vis-à-vis de la résistance à l'usure ou des procédures d'entretien.

L'utilisation de certains détergents à base d'acide peut provoquer des réactions sur certains carreaux et en modifier les caractéristiques. Par ailleurs, les nettoyants abrasifs rayeraient la surface des carreaux et doivent être évités.

À noter : Aux États-Unis, il est conseillé de suivre les recommandations de fabricants réputés en conjonction avec le Guide de fixation disponible sur www.originalstyle.com/guides.

Wichtige Informationen

Wie viele Fliesen brauchen Sie?	
Nennmaß*	pro Quadratmeter
300 x 600mm 598 x 298mm	5,6
*Alle o.a. Maße können Abweichungen von ±2mm aufweisen. Die angegebenen Mengen berücksichtigen keine Fugen. Bitte planen Sie mind. 5% Verschnitt ein. Wir empfehlen eine Fugenbreite von 2-3mm.	

Eignung
Fliesen der Serie Living wurden für Nass- und Trockenwände entwickelt (nur Innenbereiche).

Symbolerklärung	
	Nass- und Trockenmauern (inkl. Duschen und Nasszellen)
	Nur für Innenbereiche

Nennmaße
Wir verwenden in diesem Katalog Nennmaße. Diese können im Rahmen der geltenden internationalen Normen geringfügigen Abweichungen unterliegen.

Brandfarben
Fliesen der Serie Living können in Ihrer Tonalität voneinander abweichen. Wir empfehlen die Fliesen vor dem Verlegen lose auszulegen und durch optimale Anordnung eine harmonische Farbgebung zu erzielen. Zwischen einzelnen Chargen, kann die Brandfarbe unterschiedlicher ausfallen. Wir empfehlen daher die benötigten Fliesen stets zusammen zu kaufen. Für Probleme durch unterschiedliche Brandfarben kann nach der Verlegung keine Haftung übernommen werden.

Kleber und Fugenmasse
Verwenden Sie stets qualitativ hochwertigen Kleber und Fugenmasse. Befolgen Sie dabei die Herstelleranweisungen in Bezug auf deren Verwendung und Eignung für die jeweilige Fliesenart, dem Anwendungsgebiet und dem zu fliesenden Untergrund.

⚠ Verfugen von Fliesen mit Lüstereffekt
Fliesen aus den Kollektionen Radiance und Afterglow müssen mit einer ultrafeinsandigen oder sandfreien Fugenmasse verfugt werden. Arbeiten Sie die Fugenmasse vorsichtig in die Fuge ein und vermeiden Sie Kontakt mit der Fliesenoberfläche. Wir raten dringend von einer Schlämmverfugung ab.

⚠ Pflege von Fliesen mit Lüstereffekt
Der magische Lüstereffekt der Fliesen aus den Kollektionen Radiance und Afterglow wird in einem aufwendigen Druckverfahren erzeugt. Diese Fliese bedürfen daher besonderer Pflege und reagieren empfindlich auf Reinigungsmittel. Wir empfehlen daher die Reinigung mit klarem Wasser und einem weichen Tuch. Nach dem Duschen / Baden bitte stets mit klarem Wasser nachspülen.

Bitte lesen Sie vor dem Verlegen unsere Verlegeanleitung unter www.originalstyle.com/guides. Nach der Installation ist eine Haftung seitens Original Style ausgeschlossen. Original Style übernimmt keine Haftung für eine unsachgemäße Verwendung von Imprägniermitteln, Kleber und Fugenmaterial. Für technische Fragen wenden Sie sich bitte an unsere technische Abteilung unter info@originalstyle.com.

Großformate
Großformatiges Fliesen sollten nicht im Halbverband verlegt werden, da geringfügige Krümmungen in der Fliese dadurch optisch verstärkt und das Gesamtbild beeinträchtigt wird.

Fotografie
Die in diesem Katalog dargestellte Fliesenfarbe kann bedingt durch Studiobeleuchtung und Druckereifarben von der tatsächlichen Farbgebung abweichen. Bevor Sie Ihre Auswahl treffen, fragen Sie bitte Ihren Original Style Händler nach einem Muster.

Haftungsbeschränkung
Original Style übernimmt für die fehlerhafte Installation seiner Fliesen keine Haftung. Bei der Reklamation hinsichtlich der Fliesenbeschaffenheit beschränkt sich die gesetzlich eingeräumte Haftung von Original Style lediglich auf den Artikelaustausch oder eine Kostenrückerstattung. Mittelbare Schäden werden nicht abgedeckt. Reklamationen müssen innerhalb von 7 Werktagen nach Erhalt der Fliesen geltend gemacht werden. Die Fliesen sind vor der Installation zu prüfen. Eine Haftung nach der Verlegung ist ausgeschlossen. Bitte beachten Sie, dass Sie mit der Installation die Qualität, Farbe, Schattierung und Größe der Fliese akzeptieren.

Original Style gewährleistet die beschreibungs- und zweckgemäße Fabrikationsausführung der Fliesen. Original Style gibt keine weiteren ausdrücklichen oder impliziten Garantien hinsichtlich Eignung der Artikel für besondere Installationsarten. Wir geben weder ausdrücklich noch implizit eine Garantieverlängerung auf Abnutzungsverhalten oder Pflege. Beachten Sie bitte, dass die Fliesen auf Säure basierte Reinigungsmittel reagieren und ihr Aussehen verändern können. Zudem können Scheuermittel die Oberfläche verkratzen und sollten daher vermieden werden.

Belangrijke infomatie

Hoeveel tegels heeft u nodig?	
Nominale tegelagmetingen*	Per vierkante meter
300 x 600mm 598 x 298mm	5.6
*Voor alle afmetingen geldt een tolerantiewaarde van ± 2mm. Voeg openingen tussen tegels zijn niet meegerekend in de aangegeven hoeveelheden. Houd rekening met vijf procent snijverlies. Gebaseerd op voegnaden van 2-3mm.	

Geschiktheid
Alle Living tegels zijn geschikt voor wanden in natte en droge ruimtes.

Uitleg voor symbolen	
	Natte en droge wanden (incl. douches)
	Alleen voor binnengebruik

Nominale afmetingen
In deze brochure vermelden we nominale afmetingen. Deze kunnen licht variëren (maar vallen wel binnen de internationaal erkende normen).

Nuances in kleuren/patronen
Kleurnuances zijn bij keramische Living-tegels een inherente eigenschap. We raden u aan om de tegels losjes uit te leggen en te 'mengen' voordat u ze bevestigt, om zo de kleurverdeling samen te stellen die u het beste bevalt. Verschillen tussen partijen onderling kunnen opvallender zijn. Daarom raden we u aan om alle tegels tegelijk te kopen. Er kan na de installatie geen aansprakelijkheid worden aanvaard voor problemen met kleurnuances.

Lijmen, voegmiddelen en afdichtingen
Gebruik altijd lijm en voegmiddel van hoge kwaliteit. Houd u daarbij aan de aanbevelingen van de fabrikant met betrekking tot het gebruik en de geschiktheid voor een bepaald type tegel, voor het aanbrengen en voor de ondergrond die u betegelt.

⚠ Het voegen van glanstegels
Voor Radiance- en Afterglow-tegels wordt het gebruik van een superfijne of ongeschuurde voegspecie aanbevolen om krassen op het oppervlak te voorkomen. Breng de voegspecie netjes aan in de voegen en vermijd het oppervlak van de tegel. We raden ten zeerste af om voor deze tegels cementmortel te gebruiken.

⚠ Het verzorgen van glanstegels
Voor de productie van de Radiance- en Afterglow-series uit de Living Collection wordt kostbaar, verfijnd drukmateriaal gebruikt dat zorgt voor het magische 'glanseffect'. Deze tegels zijn gevoelig voor aantasting door alle schoonmaakmiddelen en moeten zorgvuldig worden verzorgd om hun mooie afwerking te behouden. Daarom raden we aan om de tegels alleen met water en een zachte doek schoon te maken en ze na gebruik af te spoelen wanneer ze in een natte ruimte zijn geplaatst.

Zie onze Installatiegids op www.originalstyle.com/guides voordat u begint aan een installatie; Original Style kan geen aansprakelijkheid aanvaarden voor fouten nadat de tegels zijn bevestigd. Original Style is niet aansprakelijk bij claims die voortvloeien uit een onjuist gebruik van afdichtmiddel, lijm of voegmiddel. Neem voor technische vragen contact op met onze technische afdeling via info@originalstyle.com

PEI-slijtklasse van tegels die geschikt zijn voor vloeren
Slijtklasse voor geglazuurd porselein en keramiek, in lijn met ISO 10545-7

Grote formaten
We raden af om grote keramische of porseleinen tegels te leggen in een 50:50-baksteenverband. De reden daarvoor is dat er waarneembare lichte krommingen in de tegels kunnen zitten. Het optische resultaat is dan mogelijk niet naar tevredenheid.

Foto's
Door variaties in studiobelichting en drukinkt kunnen de tegelkleuren in de Original Style-brochure en op de website licht afwijken van de kleur van de daadwerkelijke tegels.

Voordat u een keuze maakt, wordt het altijd aangeraden om bij uw Original Style-dealer om monsters te vragen.

Aansprakelijkheidsbeperkingen
Original Style Ltd. is niet aansprakelijk voor de onjuiste installatie van zijn tegels. In het geval van enige claim in verband met de tegels zelf is de wettelijke aansprakelijkheid van Original Style voor zover maximaal is toegestaan op grond van toepasselijk recht beperkt tot het vervangen van het product of het terugbetalen van de kosten van het product. Original Style Ltd. is in geen geval aansprakelijk voor gevolgschade of indirecte schade. Klachten moeten binnen zeven werkdagen na ontvangst van de tegels worden gemeld. De tegels moeten voor installatie worden gecontroleerd en claims worden niet meer in overweging genomen nadat de tegels zijn geïnstalleerd. Door installatie accepteert u de kwaliteit, kleur, maten, textuur en kleurnuances van de tegels.

Original Style Ltd. garandeert dat de tegels voldoen aan hun beschrijving en geschikt zijn voor hun doel. Original Style Ltd. geeft geen andere uitdrukkelijke of impliciete garanties voor de geschiktheid of gepastheid van de producten voor specifieke installaties. We verlenen geen garanties, uitdrukkelijk noch impliciet, voor slijtagebestendigheid of onderhoudsprocedures.

We wijzen u erop dat bepaalde zuurhoudende schoonmaakmiddelen kunnen reageren met sommige tegels en het karakter ervan kunnen wijzigen. Voorkom daarnaast het gebruik van schurende reinigingsmiddelen, omdat deze krassen maken op het oppervlak van de tegels.

Let op: Houd u in de VS aan de aanbevelingen van gerenommeerde fabrikanten, in overeenstemming met de Installatiegids op www.originalstyle.com/guides.

Credits

We are grateful to the following for their assistance with photographic settings:

Amara	www.amara.com
Amos Lighting	www.amosmannfurniture.co.uk
Anthropologie	www.anthropologie.com/en-gb
Bathroom Village	www.bathroomvillage.com
Baytree Interiors	www.baytree-interiors.co.uk
Bohemia	www.bohemiadesign.co.uk
Christy	www.christy.co.uk
Chunky Monkey	www.chunkymonkeyfurniture.co.uk
Click Basin	www.clickbasin.co.uk
Cologne and Cotton	www.cologneandcotton.com
Creativ Company	www.cc-craft.co.uk
The Conran Shop	www.conranshop.co.uk
Darts Farm	www.dartsfarm.co.uk
Designers Guild	www.designersguild.com
Drench	www.drench.co.uk
French Connection	www.frenchconnection.com
Furniture Village	www.furniturevillage.com
H&M	www2.hm.com/en_gb
Heals	www.heals.com
House of Fraser	www.houseoffraser.co.uk
Huckleberry	www.huckleberryuk.com
John Lewis	www.johnlewis.com
Made	www.made.com
Nkuku	www.nkuku.com
Nom Living	www.nomliving.com
Nordic House	www.nordichouse.co.uk
Oliver Bonas	www.oliverbonas.com
Orange Tree	www.theorangetree.co.uk
Plastexe	www.plastexe.co.uk
Plumb Centre	www.wolseley.co.uk
Pooky lightling	www.pooky.com
Rigby & Mac	www.rigbyandmac.com
Rowen and Wren	www.rowenandwren.co.uk
Scandinavian Shop	www.scandinavianshop.co.uk
Scaramanga	www.scaramangashop.co.uk
Selfridges	www.selfridges.com
Stovax	www.stovax.com
Tikamoon	www.tikamoon.co.uk
Toby's	www.tobysreclamation.com
Urbanara	www.urbanara.co.uk
Victoria Plumb	www.victoriaplum.com
Victorian Plumbing	www.victorianplumbing.co.uk
Virginia's Vintage Hire	www.viginiasvintagehire.co.uk
West Elm	www.westelm.co.uk
William Holland	www.williamholland.com
The White Company	www.thewhitecompany.com/uk/
Zara Home	www.zarahome.com/gb



This page: Arbour Wisteria CS2302-6030, see page 8 with Oakwook Brown from the Tileworks Collection (floor)
Rear Cover: Radiance Symmetry CS2357-6030, see page 37




Tileworks
Contemporary porcelain and ceramic tiles for floors and walls



Odyssey
Patterned wall and floor tiles inspired by journeys of discovery



Glasswork
A dazzling collection of glass tiles



Mosaics
Glorious mosaics in every material and style imaginable

GENERAL ENQUIRIES
Tel: +44 (0)1392 473004

UK SALES
Tel: +44 (0)1392 473000

EXPORT SALES
Tel: +44 (0)1392 473001

Email: info@originalstyle.com
Website: www.originalstyle.com

ORIGINALSTYLE
Tiles to Inspire

The 'Original Style' logo is a registered trade mark of Original Style Ltd. Original Style Limited is registered in England number 3018117. Registered Office: Falcon Road, Sowton Industrial Estate, Exeter, Devon EX2 7LF, England

Your Original Style stockist

£2.00 €3.00 $3.50

LIVBROCH2/12/20

Printed using green energy and vegetable based inks

© Copyright Original Style Ltd 2020